



PO Box 10335, Centurion, 0046
TCTA, Byls Bridge Office Park, Building 9,
Corner of Olievenhoutbosch & Jean Ave, Doringkloof, Centurion
Tel: +27 12 683 1200 | Fax: +27 12 683 1361
Email: info@tcta.co.za | Website: www.tcta.co.za

14 November 2024

REF NO: 012/2024/PMID/SERVICES/RFB: NOTICE 3

APPOINTMENT A SERVICE PROVIDER TO PROVIDE A PROFESSIONAL ENVIRONMENTAL CONTROL OFFICER FOR MOKOLO CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2 A (MCWAP-2 A)

Dear Bidder,

TCTA acknowledges receipt of the requests for clarification listed in the attached table. The response to each request for clarification is provided in the attached table.

Yours faithfully

.....
Azwianewi Nelwamondo

SENIOR MANAGER: SUPPLY CHAIN MANAGEMENT

REQUEST FOR CLARIFICATION	TCTA RESPONSE
<p>I would like to confirm whether the access form in the document is used for general site access or only for submission.</p> <p>I have noted that we are required to obtain an access pin for both instances.</p>	<p>The access form included in this RFB is intended for bidders to only use when submitting their bids.</p> <p>Additionally, please be informed that the compulsory site briefing session will take place in Lephalale. The meeting point details are provided in Addendum No. 2, which has been issued to the bidders and published on the E-Tender portal and the TCTA website. Therefore, the access form is not intended for general site access to TCTA premises.</p>